

LCM to Luminaire (6 pole male blue/black to 6 pole female blue/black)


Product Specification

+44 (0)1747 858100
dextragroup.co.uk/dexsor

Dexsor
DETECTION

LCM TO LUMINAIRE 6 POLE MALE BLUE-BLACK TO FEMALE 6 POLE BLUE-BLACK

PRODUCT SPECIFICATION



INTRODUCTION

Interconnecting lead - REA 7 BLBK 6/7P MB Lighting Control Module (LCM) to dimmable luminaire with 6 pole panel mount (6PM) - Blue/black 7 pole male locking LCM connector to 6 pole female blue-black non-locking luminaire connector, 6 x 1.5mm² conductor cores.

FEATURES & BENEFITS

- Compatible with REA 7 BLBK 6/7P MB - Lighting Control Module (LCM).

IMAGES



ORDER CODES

LEAD

Code	Description
C3445	Lead - LCM to luminaire, 3 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
C3446	Lead - LCM to luminaire, 4 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
C3447	Lead - LCM to luminaire, 5 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
C3448	Lead - LCM to luminaire, 6 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
C3449	Lead - LCM to luminaire, 7 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector