


# R24H Sensor

Product Specification



**+44 (0)1747 858100**  
[dextragroup.co.uk/dexsor](http://dextragroup.co.uk/dexsor)

**Dexsor**  
DETECTION



---

## INTRODUCTION

---

The R24H is an integrally mounted minihead sensor offering daylight regulation and PIR motion detection. At just 20mm diameter the R24H sensor offers significant energy savings in an extremely discrete format.

---

## FEATURES & BENEFITS

---

- Passive infrared occupancy detection.
- Daylight dimming.
- Bright-Out mode.
- Integrally mounted within luminaire.

---

## APPLICATION

---

- Classrooms
- Corridors
- Hospitals
- Lobby's
- Offices
- Receptions

---

## TECHNICAL DATA

---

- Technology - PIR
- Area coverage 4m at 3m mounting height
- Ingress protection rating IP20
- Standby power consumption >0.5W
- Black and white bezel
- 1 DALI LED driver
- Ambient operating temperature range 0 to 25 degrees
- Compatible with REA HP Programmer

---

## ADJUSTABLE PARAMETERS

---

- High Time Delay
- Low Light Level
- Low Time Delay
- PIR (presence)
- Bright Out Mode

- Daylight Dimming
- Daylight Dimming Level
- Fade Rate

---

## IMAGES

---

