



PRODUCT SPECIFICATION

EX12 LED



INTRODUCTION

The EXI2 LED is a slim line polycarbonate emergency exit sign supplied with prewired cable suitable for surface mounting and rear cable entry and is available in both standard and Self test variants. All EXI2 LED legends are compliant with the safety signs directive 92/58/EEC, other sign formats can be provided on request.

- CE
- IP20

APPLICATION

- Commercial/Offices
- Corridor
- Education
- Food/Clean Area
- Healthcare/Social Housing
- Hotel/Leisure
- Industrial/Manufacturing
- Retail
- Stairwell
- Transport

- Warehouse/Storage

SPECIFICATION

CONSTRUCTION

- Injection moulded white polycarbonate housing.
- Polycarbonate legend.

EMERGENCY

- Available with maintained, non-maintained and self test variants.

INSTALLATION

- Supplied with prewired cable, suitable for surface mounting and rear cable entry.
- Maximum Viewing Distance 39M.

IMAGES

PRODUCT IMAGES



EXI2 LED NM3



EXI2 LED NM3 ST3



EXI DL



EXI RL



EXI LL



EXI UL



EXI2 DL ISO7010



EXI2 UL ISO7010



EXI2 RL ISO7010




EXI2 LL ISO7010

PROJECT IMAGES



TECHNICAL



WARRANTY

At Dextra our commitment to service has been at the forefront throughout our history spanning more than forty years in the UK lighting market. Our service ethos extends beyond design and delivery, we believe supporting your installation throughout the warranty period is equally crucial, whilst the strength and longevity of Dextra Group provides peace of mind that our warranty will be supported throughout.

The Dextra range is supplied with a five year warranty commencing from the date of delivery. During the first three years defects will be repaired on site and the warranty will include both parts and labour. For the final two years drivers, emergency modules, wireless modules, sensors and LED circuits will be supplied free of charge to replace defective components, labour and other associated costs are not included.

Certain ranges and components are subject to exemptions:

- Lithium batteries are provided with a three year warranty for parts and labour. Nickel Metal Hydride and Nickel Cadmium batteries are provided with a one year warranty for parts and labour.
- Emergency luminaires including AME LED, EXI LED, EXI2 LED, EXI Track, HBE LED, HBE2 LED, OAT2 LED, OEZ LED and Twinspot with Nickel Metal Hydride batteries are supplied with a one year warranty for parts and labour. Lithium variants of these ranges are supplied with a three year warranty for parts and labour with the exception of the AME2, EXI3, HBE3 and TWS IP65 L7 ranges which are supplied with a one year parts and labour warranty.
- Protec Micro, 7W Fire Rated Downlights and Serenus are provided with a five year replacement luminaire only warranty.
- Controls systems such as standalone sensors, switches, marshalling boxes and cabling are provided with a one year warranty for both parts and labour. DALI control systems are provided with a two year warranty for both parts and labour.
- LEDextra ranges including Glide Power, Glide Mini, Glide RGBW, Colour Glide, Glide In Ground, Glide Pixel and AluLED ranges are supplied with a three year parts or replacement luminaire only warranty.
- LEDEX ranges are supplied with a three year replacement luminaire only warranty.

All warranties are subject to correct use of the product and will be invalidated by misuse, for example incorrect installation, unsuitable environmental conditions or incorrect maintenance. It is the duty of the customer to ensure that all the fault lies with the luminaire prior to requesting replacement parts or site repairs. In the event that no defect is found with the product our costs for attending site will be recharged to the customer and credit will not be issued against returned products. No consequential losses incurred resulting from any defect with our product will be reimbursed.

Given the nature of LED technology a small percentage of LEDs may fail during the lifetime of a luminaire, this does not cause a reduction in lumen output. As such LED luminaires are only deemed to be faulty for warranty purposes when in excess of ten percent of LEDs have failed in a single luminaire

On site repair of products under warranty will be undertaken during normal working hours, 9am to 5pm Monday to Friday, and will require unrestricted access to luminaires. Where required Dextra will provide access equipment to carry out repairs at height, should luminaires have been installed in locations where reasonable provision for maintenance access has not been made we reserve the right to supply replacement product only.

If you require any assistance with regards to our products please contact our Customer Services department on 01747 858100.

[DOWNLOAD WARRANTY PDF](#)

ORDER CODES

LUMINAIRE CODES

BASIC & SELF TEST

Code	Description
EXI2 LED M3	EXI2 LED, Maintained, 3 Hour
EXI2 LED NM3	EXI2 LED, Non-Maintained, 3 Hour
EXI2 LED ST3	EXI2 LED, Self Test, 3 Hour

All EXI2 variants are supplied with prewired cable.

OPTIC

Code	Description
EXI2 LL	Arrow Left Legend, Euro Norm Format
EXI2 RL	Arrow Right Legend, Euro Norm Format
EXI2 UL	Arrow Up Legend, Euro Norm Format
EXI2 DL	Arrow Down Legend, Euro Norm Format
EXI2 LL ISO7010	Arrow Left Legend, ISO 7010 Format
EXI2 RL ISO7010	Arrow Right Legend ISO 7010 Format
EXI2 UL ISO7010	Arrow Up Legend ISO 7010 Format
EXI2 DL ISO7010	Arrow Down Legend ISO 7010 Format