



# PRODUCT SPECIFICATION

---

COULIS 70



---

## INTRODUCTION

---

The Coulis 70 is an attractive track mounted spot light that has been developed for clients that require a high quality finish with superb colour rendition. This is the latest addition to our popular Coulis family of track spots and comes as standard with a discreet low profile in-track driver and CRI90 chip on board source. The powder coated die cast aluminium body is coupled with PMMA lens optics to maintain optimum performance. This range is available in either white or black with three beam angles and two lumen outputs.

UK  
CA

CE

IP20

---

## APPLICATION

---

- Accent Lighting
- Display Lighting
- Retail

---

## SPECIFICATION

---

### CONSTRUCTION

- Housing: High pressure die cast aluminium
- Finish: Polyester powder painted BS 00E55 matt white 60% gloss
- Finish: Polyester powder painted RAL 9005 matt black
- Lens: Injection moulded PMMA lens
- IP20

#### PERFORMANCE

- Part L2 compliant
- 3SCDM Three step Macadams ellipse
- TM21: L90>60K Hours / L80>90K Hours
- Up to 89 luminaire lumens per circuit Watt.
- CRI 90+

#### ENVIRONMENTAL

- Designed to allow simple replacement of components with commonly available tools in compliance with the Eco Design Directive, please see the installation leaflet for maintenance instructions.
- Powered by European branded drivers and emergency modules ensuring replacement parts are easily sourced.
- Every luminaire is labelled with a unique ID number allowing easy identification of spare parts for the lifetime of the product.
- Designed to allow simple disassembly for end of life recycling.
- UK based manufacturing providing local support throughout the product lifetime and minimising transportation miles.

#### EMERGENCY

- Not available with emergency

#### CONTROL

- Optional DALI dimming

#### INSTALLATION

- Suitable for three circuit track installation

#### VARIATIONS

- Available with a wide range of colour temperatures and renderings
- Available in a range of lumen outputs
- Available in white or black finishes

---

## IMAGES

---

#### PRODUCT IMAGES



Coulis 70 White



Coulis 70 White



Coulis 70 White



Coulis 70 White



Coulis 70 Black



Coulis 70 Black



Coulis 70 Black




Coulis 70 Black




Coulis 70 Lens Kit

### PROJECT IMAGES



### TECHNICAL



## WARRANTY

At Dextra our commitment to service has been at the forefront throughout our history spanning more than forty years in the UK lighting market. Our service ethos extends beyond design and delivery, we believe supporting your installation throughout the warranty period is equally crucial, whilst the strength and longevity of Dextra Group provides peace of mind that our warranty will be supported throughout.

The Dextra range is supplied with a five year warranty commencing from the date of delivery. During the first three years defects will be repaired on site and the warranty will include both parts and labour. For the final two years drivers, emergency modules, wireless modules, sensors and LED circuits will be supplied free of charge to replace defective components, labour and other associated costs are not included.

Certain ranges and components are subject to exemptions:

- Lithium batteries are provided with a three year warranty for parts and labour. Nickel Metal Hydride and Nickel Cadmium batteries are provided with a one year warranty for parts and labour.
- Emergency luminaires including AME LED, EXI LED, EXI2 LED, EXI Track, HBE LED, HBE2 LED, OAT2 LED, OEZ LED and Twinspot with Nickel Metal Hydride batteries are supplied with a one year warranty for parts and labour. Lithium variants of these ranges are supplied with a three year warranty for parts and labour with the exception of the AME2, EXI3, HBE3 and TWS IP65 L7 ranges which are supplied with a one year parts and labour warranty. TWS IP65 L7 in autotest and wireless variants are supplied with the standard three year lithium battery warranty.
- Protec Micro, PTECF7 Fire Rated Downlights, Serenus and the Opus Sconce are provided with a five year replacement luminaire only warranty. Protec FR Fire Rated Downlights are provided with a 2 year replacement luminaire only warranty.
- Controls systems such as standalone sensors, switches, marshalling boxes and cabling are provided with a one year warranty for both parts and labour. DALI control systems are provided with a two year warranty for both parts and labour.

- LEDextra ranges are supplied with a three year parts or replacement luminaire only warranty with the exception of the IMPR RGBW, the Runway RGBW and the MOD RGBW. These three ranges are supplied with our standard five year warranty during which defects within the first three years will be repaired on site and the warranty includes both parts and labour. For the final two years free of charge replacement components only will be supplied to rectify any failures but labour and other associated costs are not included.
- LEDEX ranges are supplied with a three year replacement luminaire only warranty.

All warranties are subject to correct use of the product and will be invalidated by misuse, for example incorrect installation, unsuitable environmental conditions or incorrect maintenance. It is the duty of the customer to ensure that all the fault lies with the luminaire prior to requesting replacement parts or site repairs. In the event that no defect is found with the product our costs for attending site will be recharged to the customer and credit will not be issued against returned products. No consequential losses incurred resulting from any defect with our product will be reimbursed.

Given the nature of LED technology a small percentage of LEDs may fail during the lifetime of a luminaire, this does not cause a reduction in lumen output. As such LED luminaires are only deemed to be faulty for warranty purposes when in excess of ten percent of LEDs have failed in a single luminaire

On site repair of products under warranty will be undertaken during normal working hours, 9am to 5pm Monday to Friday, and will require unrestricted access to luminaires. Where required Dextra will provide access equipment to carry out repairs at height, should luminaires have been installed in locations where reasonable provision for maintenance access has not been made we reserve the right to supply replacement product only.

If you require any assistance with regards to our products please contact our Customer Services department on 01747 858100.

[DOWNLOAD WARRANTY PDF](#)

## ORDER CODES

### LUMINAIRE

Code	Description	Power	Llm/W
COU70 L20 C93 GB	Coulis 70, 1,840lm, White Body, Colour C93	20.7W	88
COU70 L30 C93 GB	Coulis 70, 2,402lm, White Body, Colour C93	27.7W	87
COU70 L22 C94 GB	Coulis 70, 2,047lm, White Body, Colour C94	20.6W	99
COU70 L32 C94 GB	Coulis 70, 2,620lm, White Body, Colour C94	27.1W	97
COU70 L20 C93 BL GB	Coulis 70, 1,840lm, Black Body, Colour C93	20.7W	88
COU70 L30 C93 BL GB	Coulis 70, 2,402lm, Black Body, Colour C93	27.7W	87
COU70 L22 C94 BL GB	Coulis 70, 2,047lm, Black Body, Colour C94	20.6W	99
COU70 L32 C94 BL GB	Coulis 70, 2,620lm, Black Body, Colour C94	27.1W	97

Lumen values based on 60° Lens variants.

### OPTIC

Code	Description
COU70 20D LENS	Coulis 70 20° Lens
COU70 40D LENS	Coulis 70 40° Lens
COU70 60D LENS	Coulis 70 60° Lens