



# PRODUCT SPECIFICATION

---

DALI TRACK SURFACE / SUSPENDED



## INTRODUCTION

We offer a comprehensive selection of recessed track and accessories, our three circuit offering has been designed for the professional and is renowned for its reliability, durability and quality finish. The extruded aluminium profiles of this 16 amp three circuit system are available in a choice of three colours and are complimented by a wide array of accessories ensuring complete flexibility in track configurations. This versatility is enhanced with DALI track enabling complete control of luminaires for switching, dimming and scene selection.

UK  
CA

CE

IP20

## APPLICATION

- Accent Lighting
- Display Lighting
- Retail

## SPECIFICATION

### CONSTRUCTION

- Housing: Extruded aluminium
- Finish: Matt black
- Finish: Matt white
- Finish: Matt grey
- Endcaps: Injection moulded polycarbonate
- IP20

### ENVIRONMENTAL

- UK based manufacturing providing local support throughout the product lifetime and minimising transportation miles.

### VARIATIONS

- Available in white, black or grey finishes

## IMAGES

### PRODUCT IMAGES



DALI Track White




DALI Track Black



DALI Track Grey



Suspension Kit Solid Ceiling



T: 01747 858100 | E: [enquiries@dextragroup.co.uk](mailto:enquiries@dextragroup.co.uk) | Page 3 of 5

components, labour and other associated costs are not included.

Certain ranges and components are subject to exemptions:

- Lithium batteries are provided with a three year warranty for parts and labour. Nickel Metal Hydride and Nickel Cadmium batteries are provided with a one year warranty for parts and labour.
- Emergency luminaires including AME LED, EXI LED, EXI2 LED, EXI Track, HBE LED, HBE2 LED, OAT2 LED, OEZ LED and Twinspot with Nickel Metal Hydride batteries are supplied with a one year warranty for parts and labour. Lithium variants of these ranges are supplied with a three year warranty for parts and labour with the exception of the AME2, EXI3, HBE3 and TWS IP65 L7 ranges which are supplied with a one year parts and labour warranty. TWS IP65 L7 in autotest and wireless variants are supplied with the standard three year lithium battery warranty.
- Protec Micro, PTECF7 Fire Rated Downlights, Serenus and the Opus Sconce are provided with a five year replacement luminaire only warranty. Protec FR Fire Rated Downlights are provided with a 2 year replacement luminaire only warranty.
- Controls systems such as standalone sensors, switches, marshalling boxes and cabling are provided with a one year warranty for both parts and labour. DALI control systems are provided with a two year warranty for both parts and labour.
- LEDextra ranges are supplied with a three year parts or replacement luminaire only warranty with the exception of the IMPR RGBW, the Runway RGBW and the MOD RGBW. These three ranges are supplied with our standard five year warranty during which defects within the first three years will be repaired on site and the warranty includes both parts and labour. For the final two years free of charge replacement components only will be supplied to rectify any failures but labour and other associated costs are not included.
- LEDEX ranges are supplied with a three year replacement luminaire only warranty.

All warranties are subject to correct use of the product and will be invalidated by misuse, for example incorrect installation, unsuitable environmental conditions or incorrect maintenance. It is the duty of the customer to ensure that all the fault lies with the luminaire prior to requesting replacement parts or site repairs. In the event that no defect is found with the product our costs for attending site will be recharged to the customer and credit will not be issued against returned products. No consequential losses incurred resulting from any defect with our product will be reimbursed.

Given the nature of LED technology a small percentage of LEDs may fail during the lifetime of a luminaire, this does not cause a reduction in lumen output. As such LED luminaires are only deemed to be faulty for warranty purposes when in excess of ten percent of LEDs have failed in a single luminaire

On site repair of products under warranty will be undertaken during normal working hours, 9am to 5pm Monday to Friday, and will require unrestricted access to luminaires. Where required Dextra will provide access equipment to carry out repairs at height, should luminaires have been installed in locations where reasonable provision for maintenance access has not been made we reserve the right to supply replacement product only.

If you require any assistance with regards to our products please contact our Customer Services department on 01747 858100.

[DOWNLOAD WARRANTY PDF](#)

## ORDER CODES

## LUMINAIRE

Code	Description
HT 1M DALI	1m Length 3 Circuit DALI Track White
HT 2M DALI	2m Length 3 Circuit DALI Track White
HT 3M DALI	3m Length 3 Circuit DALI Track White
HT J DALI	3 Circuit DALI Straight Track Joiner White
HT INT J DALI	3 Circuit DALI Internal Track Joiner White
HT FJC DALI	3 Circuit DALI Flexible Track Joiner White
HT DE DALI	3 Circuit DALI Dead End White
HT LE LEFT DALI	3 Circuit DALI Live End Left White
HT LE RIGHT DALI	3 Circuit DALI Live End Right White
HT T LEFT L1 DALI	3 Circuit DALI 3 Way Connector Left L1 White
HT T LEFT L2 DALI	3 Circuit DALI 3 Way Connector Left L2 White
HT T RIGHT L1 DALI	3 Circuit DALI 3 Way Connector Right R1 White
HT T RIGHT L2 DALI	3 Circuit DALI 3 Way Connector Right R2 White
HT COR LEFT DALI	3 Circuit DALI Corner Left White
HT COR RIGHT DALI	3 Circuit DALI Corner Right White
HT CROSS DALI	3 Circuit DALI 4 Way Connector White
HT SC	Suspension Clamp
SUSP HT 10M BF X1 BL	Suspension Hi-Track, 10M, Barrel Fix, One Drop, Black
SUSP HT 10M BF X1 WH	Suspension Hi-Track, 10M, Barrel Fix, One Drop, White
SUSP HT 10M LO X1 BL	Suspension Hi-Track, 10M, Loop Over, One Drop, Black
SUSP HT 10M LO X1 WH	Suspension Hi-Track, 10M, Loop Over, One Drop, White
SUSP HT 1M DR X1 BL	Suspension Hi-Track, 1M 6mm Drop Rod, One Drop, Black
SUSP HT 1M DR X1 WH	Suspension Hi-Track, 1M 6mm Drop Rod, One Drop, White
SUSP HT 3M BF X1 BL	Suspension Hi-Track, 3M, Barrel Fix, One Drop, Black
SUSP HT 3M BF X1 WH	Suspension Hi-Track, 3M, Barrel Fix, One Drop, White
SUSP HT 3M LO X1 BL	Suspension Hi-Track, 3M, Loop Over, One Drop, Black
SUSP HT 3M LO X1 WH	Suspension Hi-Track, 3M, Loop Over, One Drop, White
SUSP HT 5M BF X1 BL	Suspension Hi-Track, 5M, Barrel Fix, One Drop, Black
SUSP HT 5M BF X1 GY	Suspension Hi-Track, 5M, Barrel Fix, One Drop, Grey
SUSP HT 5M BF X1 WH	Suspension Hi-Track, 5M, Barrel Fix, One Drop, White
SUSP HT 5M LO X1 BL	Suspension Hi-Track, 5M, Loop Over, One Drop, Black
SUSP HT 5M LO X1 GY	Suspension Hi-Track, 5M, Loop Over, One Drop, Grey
SUSP HT 5M LO X1 WH	Suspension Hi-Track, 5M, Loop Over, One Drop, White

## MISCELLANEOUS

Code	Description
BL	Black Finish
GY	Grey Finish
HT BENDING TOOL	Bending Tool for Cutting Track to Length